

# Engineered Panel Systems

Metal Roofing Panel Systems, Coils & Sheet, Custom Trim, Drip Edge

## **SABRE METALS**

ARCHITECTURAL METAL SUPPLY

**SERVICE.  
SELECTION.  
SUPPORT.**



### **Solaclad® Metal Roofing Coil & Sheet**

24 and 26 ga Galvalume  
0320 and 0400 Aluminum  
30 Colors in Kynar and SMP  
7 Colors in Tedlar Coated 0320 Alum  
Long Coating Warranties  
Processed to order with no minimums  
Competitively Priced

### **Standing Seam Roof Packages**

FBC Approved  
Nailstrip: 1" & 1-1/2"  
Snaplock: 1" & 1-1/2"  
Mechanical: 1" & 1-1/2"

Fast quotations  
No charge for takeoffs  
Jobsite delivery  
Competitive pricing

### **Drip Edge & Custom Trim**

Stock FHA Drip Edge  
Custom trim made to order

[WWW.SABREMETALSLLC.COM](http://WWW.SABREMETALSLLC.COM)

PH. 407 598 0811

[SALES@SABREMETALSLLC.COM](mailto:SALES@SABREMETALSLLC.COM)

As the region's premier processor of metal products for the roofing market, Sabre Metals is in the unique position of being far more vertically integrated than its contemporaries. We control the flow of metal from the mills to the paint lines, and then to our processing facility in Lake Mary. All manufacturing is done in-house to minimize waste and increase accuracy. This level of control results in a highly efficient process which leads to significant cost-savings that we are then able to pass on to our customers. Choose from a great selection of FBC Approved profiles, trim and accessories.

Our complete metal roof packages include all the custom-made metal panels and trim each roof needs with related accessories, then carefully crated and delivered to the jobsite. Each component we manufacture undergoes thorough quality control, testing and building code approval before we offer it to the market. Call us for the best and last roof you will ever need.


400 Caring Drive, Suite 1060, Lake Mary, FL 32746

Phone: 407-598-0811 [www.sabremetalsllc.com](http://www.sabremetalsllc.com) Email: [Sales@Sabremetalsllc.com](mailto:Sales@Sabremetalsllc.com)



**SHERWIN-WILLIAMS.**  
Coil Coatings

# Sabre NS100,150 Nail Strip



The Nail-Strip is ideal for light commercial and residential applications. It has great aesthetics with clean, linear lines. This concealed fastener panel system offers easy installation without the use of clips. The panels snap together at the seams without the use of any special tools. It is one of the most popular and cost-effective panels we offer and is the preferred choice of roofing contractors. Suitable for non-HVHZ rated zones only.

- Florida Building Code Approved
- Multiple substrate and color options, with long warranties and energy savings

## OPTIONS & SPECIFICATIONS

<b>Available Sizes</b>	1.00" & 1.50" Rib Height	<b>Paint Systems</b>	Acrylic-Coated Galvalume PVDF Kynar® by Sherwin-Williams SMP WeatherXL® by Sherwin-Williams
<b>Options</b>	Smooth and Striated	<b>Colors Available</b>	Acrylic-Coated Galvalume 26 colors in PVDF Kynar 14 colors in SMP WeatherXL
<b>Coverage</b>	15.50" – 16" Width; 3' – 35' lengths	<b>Production</b>	Rolled On-Site & Factory Crating
<b>Min Slope</b>	3:12	<b>Coating</b>	25-40 yrs for Acrylic Galvalume
		<b>Warranties</b>	35 yrs for PVDF Kynar 40 yrs for SMP WeatherXL
<b>Material</b>	26 and 24 ga Steel	<b>FBC Approved</b>	Non-HVHZ rated only


Pan wave or oil-canning is an inherent property of metal panels and is not cause for panel rejection. Striated panels are the preferred pan condition to lessen the appearance of pan wave and that flat pan may result in a greater appearance of pan wave.

400 Caring Drive, Suite 1060, Lake Mary, FL 32746

Phone: 407-598-0811 [www.sabremetalsllc.com](http://www.sabremetalsllc.com) Email: [Sales@Sabremetalsllc.com](mailto:Sales@Sabremetalsllc.com)



# Sabre SL100,150 Snaplock



The Snaplock is engineered to resist the effects of thermal expansion. It is ideal for commercial, residential and architectural applications. This concealed fastener system requires the use of clips to attach to the roof deck, but is easy to install. The panels snap together with the clips inserted between the seams without the use of any special tools. Suitable for both HVHZ and non-HVHZ rated zones.

- Florida Building Code Approved
- Superior wind-load protection
- Excellent balance between cost & function
- Multiple substrate and color options, with long warranties and energy savings

## OPTIONS & SPECIFICATIONS

<b>Available Sizes</b>	1.00" & 1.50" Rib Height	<b>Paint Systems</b>	Acrylic-Coated Galvalume PVDF Kynar® by Sherwin-Williams
<b>Options</b>	Smooth and Striated	<b>Colors Available</b>	Acrylic-Coated Galvalume 26 colors in PVDF Kynar
<b>Coverage</b>	16" – 17" Width; 3' length min	<b>Production</b>	Rolled On-Site & Factory Crating
<b>Min Slope</b>	3:12	<b>Coating</b>	25-40 yrs for Acrylic Galvalume
<b>Material</b>	24 ga Steel	<b>Warranties</b>	35 yrs for PVDF Kynar
		<b>FBC Approved</b>	HVHZ & Non-HVHZ rated


Pan wave or oil-canning is an inherent property of metal panels and is not cause for panel rejection. Striated panels are the preferred pan condition to lessen the appearance of pan wave and that flat pan may result in a greater appearance of pan wave.

400 Caring Drive, Suite 1060, Lake Mary, FL 32746

Phone: 407-598-0811 [www.sabremetalsllc.com](http://www.sabremetalsllc.com) Email: [Sales@Sabremetalsllc.com](mailto:Sales@Sabremetalsllc.com)



# Sabre M100,150 Mechanical Lock



The Sabre Mechanical is engineered for maximum weather tightness and superior wind uplift resistance. It can handle low slopes and long panel runs and is the contractor's choice for high-end commercial, residential and architectural applications. Our aluminum panels are tailor made for tough coastal environments to fight salt-water rust. This concealed fastener system requires the use of clips and fasteners to attach to the roof deck. Suitable for both HVHZ and non-HVHZ rated zones.

- Florida Building Code Approved
- Superior wind-load protection
- Multiple substrate and color options, with long warranties and energy savings

## OPTIONS & SPECIFICATIONS

<b>Available Sizes</b>	1.00" & 1.50" Rib Height	<b>Paint Systems</b>	Acrylic-Coated Galvalume PVDF Kynar® by Sherwin-Williams
<b>Options</b>	Smooth and Striated	<b>Colors Available</b>	Acrylic-Coated Galvalume 26 colors in PVDF Kynar
<b>Coverage</b>	16" Width; 3' length min	<b>Production</b>	Rolled On-Site & Factory Crating
<b>Min Slope</b>	3:12	<b>Coating Warranties</b>	25-40 yrs for Acrylic Galvalume 35 yrs for PVDF Kynar
<b>Material</b>	24 ga Steel – 1.50" only 0320 Alum – 1.00" & 1.50"	<b>FBC Approved</b>	HVHZ & Non-HVHZ rated

Pan wave or oil-canning is an inherent property of metal panels and is not cause for panel rejection. Striated panels are the preferred pan condition to lessen the appearance of pan wave and that flat pan may result in a greater appearance of pan wave.

400 Caring Drive, Suite 1060, Lake Mary, FL 32746

Phone: 407-598-0811 [www.sabremetalsllc.com](http://www.sabremetalsllc.com) Email: [Sales@Sabremetalsllc.com](mailto:Sales@Sabremetalsllc.com)

